

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 01:01 pm

PWS ID: UTAH26074 **Name:** SOAPSTONE SUMMER HOMES
Legal Contact: SOAPSTONE SUMMER HOMES **Rating:** Not Approved
JOHN QUICK **Rating Date:** 04/06/2010
Address: PO BOX 712555 **Activity Status:** Active
SALT LAKE CITY, UT 84171
Phone Number: 435-965-4808
City Served (Area):
County: WASATCH COUNTY
System Type: Non-community **Last Inv Update:** 05/28/2010 **Avg Daily Prod:**
Activity Status Cd: Active **Last Snty Srv Dt:** 07/14/2008 **Total Dsgn Cap:**
Population: 110 **Surveyor:** DWIGHT HILL **Total Emerg Cap:**
Oper Period: 6/1 to 9/30

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	01/01/1991		6/1	9/30	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name		Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
WS001	SOAPSTONE SPRING		Activity Status: A		Sample Label: UTAH26074	WS001 WS001
	NITRATE	1	Routine	Year	07/12/2010	01/01/2011-12/31/2011
	SULFATE	1	Routine	9Y	06/22/2003	01/01/2011-12/31/2019

Sources Grouped for Sampling Compliance

Source Group ID: UTAH26061-01

Sources in Group

WS001	SOAPSTONE SPRING	UTAH26074	SOAPSTONE SUMMER HOMES
WS001	SOAPSTONE SPRING	UTAH26061	CAMP ROGER YMCA